
\Orchestrating a brighter world



DT820 IP Desktop Telephones



NEC sets the standard for easy to use phones with the DT820 IP telephones - ideal for almost any work environment.



At a Glance

- Choice of two DT820 IP models, either 6 button or 8 button self-labeling
- · User friendly interface makes both ideal for public and business usage
- Affordable and cost effective phones for business users
- Both models are software upgradeable, eliminating the need for new hardware

Overview

The DT820 IP desktop telephones--the 6-button and the 8-button Selflabeling, are a cost-effective option for standard business users as well as a great choice for use in building lobbies, public spaces, and contact centers. The 8-button self-labeling phone can be upgraded to 32 line buttons, making it ideal for almost any work environment; in fact, the NEC DT820 standard use self-labeling desktop telephones are upgradeable to support more extensions and to network, making them both enterprise and call center friendly. Power is supplied to the DT820 phones via PoE (Power over Ethernet).

DT820 interfaces are designed to improve the overall user experience while remaining intuitive – with no extensive training needed. At-a-glance notifications include new voice messages, missed calls and the telephone user's current presence status. Both the DT820 6-button as well as the 8-button self-labeling are supported on the UNIVERGE[®] SV9000 and SV8000 Series communications platforms.

With two models to choose from, you can select an affordable telephone with features that best fit your organizational needs.

Software Upgradability*

With the DT820 telephones, we are providing a better way to upgrade your phones in the field, with software upgradability. Through licensing, the DT820 6-button and 8-button self-labeling models are able to upgrade their network support from 10/100 to 10/100/1000. And on the 8-button self-labeling, you can increase the line presence from 8 to 16 to 32. No longer is there any need to stock or purchase new hardware.

The DT820 6-Button Telephone

This 6-button phone offers a familiar user interface. It includes a black and white display, headset jack and fixed line, and feature keys such as conference, transfer and hold.



The DT820 8-Button Telephone

The DT820 8-button self-labeling phone includes the features and functionality of the 6-button model plus helps lower the cost for any adds/moves/ changes that are required in a normal business environment. The line presence can also be increased from 8 to 16 to 32.



Call History - redial/missed calls, directories, settings: ring volume, any assignable terminal feature defined by the NEC switch

features dynamically change depending on state of the

Extension dialing, Lines/Call

Microphone

The DT820 IP Desktop Telephones - a cost-effective option for standard business users plus a great choice for use in all other areas of your business.

DT820 Specifications

DT820			
Line Keys / Product Number		6-Line Key (ITY-6D-1(BK) Tel)	8-Line Key Self-Labeling (ITY-8LDX-1(BK) Tel)
LCD Display	Resolution	168 x 41 dot	168 x 128 dot
	Dimension	93.3 x 27.7 mm	70.036 x 61.036 mm
	Color	Black/White	
	Backlit Display	Yes	
Line Key	Color	Red, Green full line key illumination	
Backlit Keypad		Yes	
Soft Key		6 buttons (Exit, Help and 4 button)	
10 Key Backlit		No	
Message Waiting Lamp Color		Red, Green and Amber illumination supported (3)	
Handset		Analog headset jack is standard Narrowband capable (300 HZ to 3400 HZ) RJ-9 audio port	
Hands Free		Full Duplex - Narrowband support (300 HZ to 3400 HZ)	
Headset		Full Duplex - RJ9 Optional support of EHS functionality with APD-80 cable	
LAN I/F		10BASE-T (IEEE802.3i) 100BASE-TX (IEEE802.3u) Optional support with software licenses for 1000 BASE-TX (IEEE802.3-2008)	
IPv6		Not supported	
VLAN		Menu configurable VLAN assignment for PC and LAN ports	
LLDP		Supported	
PC Port Connectivity		Yes: with menu control to enable/disable the port and configure network speed	
USB I/F		N/A	
Bottom Option		Not supported	
Side Option		Not supported	
Directory Card		Not supported	
Consumed Power		GIG Disable (Max: 2.7W, Idle: 1.7W), GIG Enable (Max: 3.6W, Idle: 2.1W)	
Power Feeding		PoE: IEEE802.3 at Type1	
External AC		Not supported	
Face Plate		Not supported	
Tilt Angle		2 Step (25 and 38 Degrees)	2 Step (25 and 38 Degrees)
Dimension (WxDxH)		W178 x D215 x H133 (mm)	W178 x D221 x H133 (mm)
Weight		0.8kg	0.9 kg

Corporate Headquarters (Japan) NEC Corporation *nec.com* North America (USA & Canada) NEC Corporation of America *necam.com* NEC Enterprise Solutions NEC Europe Ltd nec-enterprise.com APAC NEC Asia Pacific Pte Ltd *sg.nec.com* Latin America NEC Latin America *lasc.necam.com*

About NEC Enterprise Solutions: NEC Enterprise Solutions provides IT & Communication solutions to small, medium and large enterprises in both the private and public sectors. Designed for open connectivity, high availability and fl exible growth, our innovative solutions incorporate the latest voice, data and video technologies and enable real-time, collaborative working, increased productivity and customer satisfaction. Our servers, storage solutions, software and virtualised workstations enable businesses to maximise operational efficiency, performance and profi tability. NEC Enterprise Solutions serves its customers across EMEA (Europe, Middle East & Africa) through a network of direct sales organizations, business partners and value-added resellers. For more information, please visit: http://www.nec-enterprise.com.